



The Good Lab

2501 W Colorado Ave Suite 204
 Colorado Springs, CO 80904
 (720) 245-8323
 Info@GoodLabColorado.com
 www.GoodLabColorado.com


Potency Analysis

| | | | | | |
|-------------|-----------|---------------|-----------------|----------------|------------|
| Customer ID | 884 | Cust Name | Exotic Elephant | | |
| Sample ID | 2001175 | Date Received | Bath Bomb 170g | | |
| Sample Type | Bath Bomb | Date Received | 10/16/2020 | Date Completed | 10/22/2020 |

| Cannabinoid Profile % | |
|-----------------------|-------------|
| CBDV | 0.00 |
| CBDA | 0.19 |
| CBGA | 0.00 |
| CBG | 0.16 |
| THCV | 0.00 |
| CBD | 1.73 |
| CBN | 0.00 |
| Δ9THC | <LOQ |
| CBC | 0.14 |
| THCA | 0.00 |
| TOTAL | 2.22 |

| | |
|--------------------------------------|------|
| Total THC % (Δ9-THC + THC-A + THC-V) | 0.00 |
| Total CBD % (CBD + CBD-A + CBD-V) | 1.91 |
| Total Cannabinoid % | 2.22 |

| | |
|----------------|---------|
| THCmg/Svg/pkg* | 0.00 |
| CBDmg/Svg/pkg* | 3247.00 |
| TOTmg/Svg/pkg* | 3774.00 |



Total THC = Δ9-THC + THC-A + THC-V
 Total CBD = CBD + CBD-A + CBD-V
 Total Cannabinoids represents the sum of the cannabinoids detected in the sample.
 *Mg/Svg/Pkg is calculated based on the mass/density of the dominant suspension or the total fill weight of the package.

Potency test results are reported in percentage by dry weight using High Performance Liquid Chromatography (HPLC). Detectable amounts below .06% are shown as TR (trace) or <LOQ. Our standard detection limit is .02%. Results below .02% are considered unreliable and are reported as zero (0.00) or Not Detected (ND). Our deviation is within the industry standard for HPLC.

FINAL APPROVAL

| | | | |
|--|--|--|--|
| Analysis: Gregory P. Duran, Lab Owner | | Quality Control: M. Teri Robnett, Lab Manager | |
|--|--|--|--|

This report and all information herein shall not be changed in any way or reproduced, except in its entirety, without the expressed consent of The Good Lab. This information is provided as a service and makes no claims of efficacy, safety or compliance of this product. Results are applicable only for the sample as presented and for the specific test conducted. Due to many factors outside The Good Lab's control, results may vary; therefore, we adhere to the cannabis analytical laboratory standard of error of +/- 5%. Cannabinoid content variations may be due to natural variations in the plant and/or inaccurate sampling practices. This report is for informational purposes only and should not be used to diagnose, treat or prevent any medical symptoms or conditions. The statements and results herein have not been approved or endorsed by the FDA. Results are applicable only for the sample supplied to The Good Lab. If you have any further questions regarding this product, please contact us for a consultation at (720) 245-8323 or info@goodlabcolorado.com.